

Installation instructions for KZNG5-03521-00

Under Run Protective Shield Engine Bay and Transmission Case

TOYOTA COROLLA



Model year:

**Corolla
2018**

Applicability:

ZRE210L-DEFDKX
ZRE210L-DESDKX
ZRE210L-DEXNKK
ZRE210L-DEXGKK

Part Number:

Steel: KZNG5-03521-00



Weight:

Steel: 9,57 kg




Installation Time:

30 min

Rev.1 06.12.2021


KZNG5-03521-00

A




KZNG5-03521-60

B




2x

C



2x


D1



M6x20

6x


D2



M8x20

2x


E1



d=6

6x

E2



d=8

2x


F1



d=6


6x

F2




d=8



2x




10 mm
13 mm



1



2



The diagram illustrates the rear suspension assembly. Key components and their specifications are as follows:

- Part 1:** A long, thin metal rod with a handle. Torque specification: **24 Nm**.
- Part 2:** A short, thick metal rod with a handle. Torque specification: **10 mm**.
- Part 1 (bottom):** A long, thin metal rod with a handle. Torque specification: **13 mm**.
- Part 2 (bottom):** A long, thin metal rod with a handle. Torque specification: **9.8 Nm**.
- Labels:** F1, E1, D1, A, 1, 2, FWD, and a small inset showing the vehicle's side profile with an arrow pointing to the rear wheel area.